





Disegno grafico essenziale e luce intensa. Koi esprime potenza ed efficienza luminosa enfatizzando l'essenza estetica, in un connubio armonico che lascia un forte segno nello spazio. Questa collezione è un gioco grafico di elementi circolari in acrilico, minimal e leggeri, che riempiono soffitti e pareti. Tutti i modelli sono dotati di fonte luminosa a LED integrata nella struttura che diffonde una morbida luce riflessa.


Essential graphic design and intense light. Koi expresses power and luminous efficiency by emphasizing the aesthetic essence, in a harmonious combination that knows how to leave a strong mark in space. Koi is a graphic play of circular elements in acrylic, minimal and light, which fill ceilings and walls. All models are equipped with a LED light source integrated into the structure that diffuses a soft reflected light.





7005 KOI/S5 O
7012 KOI/S5 N

Power 46W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 3080
CRI 90
IP 20
L. Wire 400 cm
Weight N: 5,0kg G: 5,8kg
Volume 0,0521 m³



Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



6961 KOI/SP O
6978 KOI/SP N

Power 9W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 696
CRI 90
IP 20
L. Wire 150 cm
Weight N: 0,9kg G: 1,1kg
Volume 0,0211 m³



Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



6985 KOI/SG O
6992 KOI/SG N

Power 16W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 1610
CRI 90
IP 20
L. Wire 150 cm
Weight N: 2,2kg G: 3,4kg
Volume 0,0421 m³



Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



4455 KOI/S70 O
4462 KOI/S70 N

Power 26W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 1830
CRI 90
IP 20
L. Wire 150 cm
Weight N: 4,5kg G: 5,8kg
Volume 0,0818 m³




Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



7029 KOI/PA30 O
7036 KOI/PA30 N

Power 10W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 805
CRI 90
IP 20
Weight N: 1,6kg G: 2,0kg
Volume 0,0174 m³




Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



7043 KOI/PA45 O
7050 KOI/PA45 N

Power 19W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 1500
CRI 90
IP 20
Weight N: 2,4kg G: 3,2kg
Volume 0,0478 m³




Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



7067 KOI/PA60 O
7074 KOI/PA60 N

Power 23W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 1719
CRI 90
IP 20
Weight N: 3,7kg G: 4,8kg
Volume 0,0714 m³



Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)



7081 KOI/L O
7098 KOI/L N

Power 7W Led Integrated
Input 220/240 V- 50/60Hz
Kelvin Sikrea Dynamic Dimmer
Dimmable Yes
Real Lumen Dimmable Max 606
CRI 90
IP 20
Weight N: 1,8kg G: 2,7kg
Volume 0,0421 m³



Articolo compatibile con Sikrea Dynamic Dimmer + (cod. 4868)
Article compatible with Sikrea Dynamic Dimmer + (cod. 4868)







Articolo completo di
Sikrea Dynamic Dimmer

SDD

MATERIALI :
Materials :

Struttura Frame	Metallo Metal
Diffusore Diffuser	Acrilico Acrylic
Cavo Wire	PVC PVC

TAVOLA FINITURE :
Table of Finishes :

Struttura Frame	 Oro verniciato Painted Gold	O
	 Nero Opaco Matt Black	N
Diffusore Diffuser	 Trasparente Transparent	
Cavo Wire	 Trasparente Nero Opaco	

DOWNLOAD AREA:

