

# Bianca

Dainelli Studio



AP

AP LINEAR

TA

FL LISEUSE

SO

SO DOUBLE



Traendo ispirazione dall'intricata struttura di un fiocco di neve, Bianca è composta da moduli che sono stati disposti in una sequenza precisa per garantire la dinamicità della lampada.

Bianca è disponibile nelle finiture laccato oro e laccato nero seta opaco. Le sorgenti luminose, in finitura vetro bianco opale, sono incluse.

Montata a parete o come lampada a sospensione, utilizzata come lampada da lettura o da terra, questa lampada è sia un pezzo funzionale sia di grande impatto decorativo, che aggiunge eleganza e raffinatezza all'ambiente circostante.

*Drawing inspiration from the intricate structure of a snowflake, Bianca is made of irregular modules that have been arranged in a precise sequence to ensure the lamp's stability.*

*The Bianca collection is available in gold lacquered and matt black silk lacquered finishes. The light sources, in opal white glass finish, are included. Whether mounted on a wall or a pendant light, used as a reading or floor lamp, this is both a functional and a striking decorative piece that adds elegance and sophistication to its surroundings.*

## SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

p.2

BIANCA AP CON BASETTA / WITH BASE

p.3

BIANCA AP SENZA BASETTA / WITHOUT BASE

p.4

BIANCA AP LINEAR

p.5

BIANCA TA

p.6

BIANCA FL LISEUSE

p.7

BIANCA SO

p.8

BIANCA SO DOUBLE

p.9

**STRUTTURA / FRAME**

Laccato nero seta opaco  
Matt black silk lacquered



Laccato oro  
Gold lacquered

**DIFFUSORE / DIFFUSER**

Vetro bianco latte  
Milky white glass

**FONTE LUMINOSA / LIGHT SOURCE****220-240V**

Lampadina LED Custom  
Custom light bulbs

**AP CON BASETTA / SENZA BASETTA  
WITH BASE / WITHOUT BASE**

2 x 4.4W Custom light bulbs  
Emissione / Light emission: 700 Lm  
+  
2 x 5.6W Custom light bulbs  
Emissione / Light emission: 980 Lm  
3.000 K; CRI: >90  
IP20

**AP LINEAR**

1 x 5.6W Custom light bulbs  
Emissione / Light emission: 490 Lm  
+  
1 x 9.1W Custom light bulbs  
Emissione / Light emission: 900 Lm  
3.000 K; CRI: >90  
IP20

**TA / FL LISEUSE**

1 x 9.1W Custom light bulbs  
Emissione / Light emission: 900 Lm  
3.000 K; CRI: >90  
IP20

**SO**

3 x 5.6W Custom light bulbs  
Emissione / Light emission: 1.470 Lm  
+  
3 x 9.1W Custom light bulbs  
Emissione / Light emission: 2.700 Lm  
3.000 K; CRI: >90  
IP20

**SO DOUBLE**

6 x 5.6W Custom light bulbs  
Emissione / Light emission: 2.940 Lm  
+  
6 x 9.1W Custom light bulbs  
Emissione / Light emission: 5.400 Lm  
3.000 K; CRI: >90  
IP20

Dimmerazione a taglio di fase/Triac - altri sistemi di dimmerazione (DALI e 1-10V) disponibili su richiesta

*Phase cut/Triac dimming - alternative dimming systems (DALI and 1-10V) available on demand*



Bianca

**110V**

Lampadina LED Custom  
Custom light bulbs

**AP WITH BASE / WITHOUT BASE**

2 x 4.4W Custom light bulbs  
Light emission: 700 Lm  
+  
2 x 5.6W Custom light bulbs  
Light emission: 980 Lm  
3.000 K; CRI: >90  
IP20

**AP LINEAR**

1 x 5.6W Custom light bulbs  
Light emission: 490 Lm  
+  
1 x 9.1W Custom light bulbs  
Light emission: 900 Lm  
3.000 K; CRI: >90  
IP20

**TA / FL LISEUSE**

1 x 9.1W Custom light bulbs  
Light emission: 900 Lm  
3.000 K; CRI: >90  
IP20




**SO**


3 x 5.6W Custom light bulbs  
Light emission: 1.470 Lm  
+  
3 x 9.1W Custom light bulbs  
Light emission: 2.700 Lm  
3.000 K; CRI: >90  
IP20

**SO DOUBLE**




6 x 5.6W Custom light bulbs  
Light emission: 2.940 Lm  
+  
6 x 9.1W Custom light bulbs  
Light emission: 5.400 Lm  
3.000 K; CRI: >90  
IP20


Phase cut/Triac dimming - alternative dimming systems (DALI and 1-10V) available on demand












CAUTION:  
REMOTE LED DRIVER


















Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

---

**CONTARDI LIGHTING Srl**

ITALY HEADQUARTERS

contardi-italia.com / sales@contardi-italia.it

**CONTARDI USA Inc**

USA BRANCH

contardi-usa.com / office@contardi-usa.com