


Paralela

Nahtrang Studio




Sospensione verticale / Vertical suspension


Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

COLOURS



white



greige



earth red



pine green
limited edition




black

Esempio sospensione verticale

1 luce (DRIVER NON INCLUSO)


Example of 1 light vertical suspension (DRIVER NOT INCLUDED)



Esempio sospensione verticale

2 luci (DRIVER NON INCLUSO)


Example of vertical suspension with 2 lights (DRIVER NOT INCLUDED)



Esempio sospensione verticale

3 luci (DRIVER NON INCLUSO)


Example of vertical suspension with 3 lights (DRIVER NOT INCLUDED)



ACTUXX__XX____
 ACDIST__XVEXX__
 ACCANOPY_____

Paralela

Nahtrang Studio



Sospensione verticale / Vertical suspension 60,4cm - 93,6cm

PARALELA VERTICAL SUSPENSION - GLASS TUBE (DRIVER NOT INCLUDED)

Type	Article	Code	Code	CCT	Electrical cable	Code	Size	Code	Colours	LED - Source
AC	TU	X	X	27 2700K	E	X	SM 60,4cm	X	BC white	~9,2W (~681lm)
				30 3000K			LA 93,6cm		ER earth red	~14,9W (~1103lm)
									GE greige	
									NE black	
									PG pine green limited edition	





IP20 CRI>90 24Vdc **LED**

example composition code AC TU X X **(30)** E X SM X **(GE)**

() CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 0,5 m³ 0,0035

kg 0,8 m³ 0,006




TUBO IN VETRO BOROSILICATO VERTICALE + CAVO ELETTRICO (2,5m) RIVESTITO IN TESSUTO DI COLORE NERO
VERTICAL BOROSILICATE GLASS TUBE + ELECTRIC CABLE (2.5 m) COVERED IN BLACK FABRIC

CINTURE / BELTS

Big: kg 0,085 m³ 0,003 Small: kg 0,045 m³ 0,002

CINTURA STAMPATO IN NAILON (PA12) 3D SOLO PER SOSPENSIONE VERTICALE /3D PRINTED NYLON (PA12) BELT FOR VERTICALSUSPENSION ONLY



Type	Article	Size	Electric cable entry	Typology variant	Code	Colours
AC	DIST	BI* big SM small	X without/senza	VE	XX	BC white ER earth red GE greige NE black PG pine green limited edition


PARALELA VERTICAL SUSPENSION - BELT

example composition code AC DIST BI X VE XX ER

* Cintura BIG non applicabile con Canopy 2 e Canopy 3 / Belt big not applicable with Canopy 2 and Canopy 3

Paralela

Nahtrang Studio




ROSONI COMPATIBILI CON LA SOSPENSIONE VERTICALE / ROSES COMPATIBLE WITH VERTICAL SUSPENSION

PLACCA DI COPERTURA / COVER PLATED

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

PLACCA IN METALLO COLORE BIANCO/
WHITE METAL PLATE

kg 0,19 m³ 0,004




Code	Colours
ACCANOPYIN003	BC white

ROSONE INCASSO / RECESSED CANOPY

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

ROSONE IN METALLO AD INCASSO PER
CONTROSOFFITO, COLORE BIANCO/ RECESSED
METAL CANOPY FOR FALSE CEILING, WHITE COLOR

kg 0,20




Code	Colours
ACCANOPYIN001	BC white

ROSONE / CANOPY

(DRIVER NON INCLUSO /
DRIVER NOT INCLUDED)

ROSONE IN METALLO COLORE BIANCO/
WHITE METAL CANOPY

kg 0,07 m³ 0,004



Code	Colours
ACCANOPYTO004	BC white


example composition code ACCANOPYTO004 BC

ROSONE 2 / CANOPY 2

(DRIVER NON INCLUSO MA INSERIBILE / DRIVER NOT INCLUDED BUT CAN BE INSERT)

ROSONE IN METALLO CIRCOLARE PER 2 SOSPENSIONI IN VARI COLORI/
CIRCULAR METAL CANOPY FOR 2 SUSPENSIONS IN VARIOUS COLORS

kg 0,9 m³ 0,025



Code	Colours
ACCANOPYTO002	BC white
	ER earth red
	GE greige
	NE black
	PG pine green limited edition


example composition code ACCANOPYTO002 BC

ROSONE 3 / CANOPY 3

(DRIVER NON INCLUSO MA INSERIBILE / DRIVER NOT INCLUDED BUT CAN BE INSERT)

ROSONE IN METALLO CIRCOLARE PER 3 SOSPENSIONI IN VARI COLORI /
CIRCULAR METAL CANOPY FOR 3 SUSPENSIONS IN VARIOUS COLORS

kg 0,9 m³ 0,025




Code	Colours
ACCANOPYTO003	BC white
	ER earth red
	GE greige
	NE black
	PG pine green limited edition

example composition code ACCANOPYTO003 ER

Paralela

Nahtrang Studio




Sospensione orizzontale / Horizontal suspension


Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

COLOURS



white



greige



earth red




pine green
limited edition




black

Elementi del sistema per la configurazione del modulo singolo (DRIVER NON INCLUSO) System elements for single module configuration (DRIVER NOT INCLUDED)




Elementi del sistema per la configurazione di moduli multipli (DRIVER NON INCLUSO) System elements for multiple modules configuration (DRIVER NOT INCLUDED)



Paralela

Nahtrang Studio



Sospensione orizzontale / Horizontal suspension

118,6cm & 93,3 cm - 1 punto di connessione / 1 connection point

PARALELA HORIZONTAL SUSPENSION - GLASS TUBE 118,6cm 1 CONNECTION POINT (DRIVER NOT INCLUDED)

Type	Article	Steel cable on connection point	Steel cable external cap	CCT	Electrical cable	Code	Size	Connection point	Colours	LED - Source
AC	TU	X without/senza	C with/con	27 2700K	X without/senza	X	BI 118,6cm	1	BC white	~19W (~1418lm)
		C with/con		30 3000K	E with/con		LA 93,6cm		ER earth red	~14.9W (~1103lm)
									GE greige	
									NE black	
									PG pine green limited edition	




IP20 CRI>90 24Vdc **LED**

example composition code AC TU C C (27) X X BI 1 (PG)

CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices


kg 1 m³ 0,007




TUBO IN VETRO BOROSILICATO ORIZZONTALE + CAVO D'ACCIAIO (3m) + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D VERSO ALTO

HORIZONTAL BOROSILICATE GLASS TUBE + STEEL CABLE (3m) + 1 NAILON (PA12) CONNECTION POINT 3D PRINTED UPWARDS

kg 0,8 m³ 0,006




kg 1 m³ 0,006




TUBO IN VETRO BOROSILICATO ORIZZONTALE + CAVO D'ACCIAIO (3m) + CAVO ELETTRICO LATERALE (4m) RIVESTITO IN TESSUTO DI COLORE NERO + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D VERSO ALTO

HORIZONTAL BOROSILICATE GLASS TUBE + STEEL CABLE (3m) + SIDE ELECTRIC CABLE (4m) COVERED IN BLACK FABRIC + 1 NAILON (PA12) CONNECTION POINT 3D PRINTED TOWARDS

kg 1,2 m³ 0,007




kg 0,8 m³ 0,006




TUBO IN VETRO BOROSILICATO ORIZZONTALE + CAVO D'ACCIAIO (3m) + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D VERSO BASSO

HORIZONTAL BOROSILICATE GLASS TUBE + STEEL CABLE (3m) + 1 NAILON CONNECTION POINT (PA12) 3D PRINTED DOWN

kg 1 m³ 0,007




kg 1 m³ 0,006



TUBO IN VETRO BOROSILICATO ORIZZONTALE + CAVO D'ACCIAIO (3m) + CAVO ELETTRICO LATERALE (4m) RIVESTITO IN TESSUTO DI COLORE NERO + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D VERSO BASSO


HORIZONTAL BOROSILICATE GLASS TUBE + STEEL CABLE (3m) + SIDE ELECTRIC CABLE (4m) COVERED IN BLACK FABRIC + 1 CONNECTION POINT IN NAILON (PA12) 3D PRINTED DOWNWARD

kg 1,2 m³ 0,007



Paralela

Nahrang Studio



Sospensione orizzontale / Horizontal suspension 118,6cm - 2 punti di connessione / 2 connection points

PARALELA HORIZONTAL SUSPENSION - GLASS TUBE 118,6cm 2 CONNECTION POINTS (DRIVER NOT INCLUDED)

Type	Article	Steel cable on connection point	Steel cable external cap	CCT	Electrical cable	Code	Size	Connection point	Colours	LED - Source
AC	TU	X without/senza	X without/senza	27 2700K	X without/senza	X	BI 118,6cm	2	BC white	~19W (~1418lm)
		C with/con		30 3000K					ER earth red	
									GE greige	
									NE black	
									PG pine green limited edition	




IP20 CRI>90 24Vdc LED

example composition code AC TU X X (27) X X BI 2 (PG)


CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 1 m³ 0,007



TUBO IN VETRO BOROSILICATO ORIZZONTALE + 2 PUNTI DI CONNESSIONE IN NYLON (PA12) STAMPATO IN 3D VERSO ALTO
HORIZONTAL BOROSILICATE GLASS TUBE + 2 NYLON (PA12) CONNECTION POINTS 3D PRINTED UPWARDS


kg 1 m³ 0,007



TUBO IN VETRO BOROSILICATO ORIZZONTALE + CAVI ACCIAIO (3m) SU PUNTI DI CONNESSIONE + 2 PUNTI DI CONNESSIONE IN NYLON (PA12) STAMPATO IN 3D VERSO BASSO
HORIZONTAL BOROSILICATE GLASS TUBE + STEEL CABLES (3m) ON CONNECTION POINTS + 2 NYLON (PA12) CONNECTION POINTS 3D PRINTED DOWN

CINTURE / BELTS

Big: kg 0,085 m³ 0,003 Small: kg 0,045 m³ 0,002



CINTURA STAMPATO IN NYLON (PA12) 3D PER IL COLLEGAMENTO ELETTRICO CON O SENZA FORI PER INGRESSO CAVO DI ALIMENTAZIONE CON CHIUSURA MAGNETICA
3D PRINTED NYLON (PA12) BELT FOR ELECTRICAL CONNECTION WITH OR WITHOUT HOLES FOR POWER CABLE ENTRY WITH MAGNETIC CLOSURE


PARALELA HORIZONTAL SUSPENSION - BELT

Type	Article	Size	Electric cable entry	Typology variant	Code	Colours
AC	DIST	BI big	X without/senza	OR	XX	BC white
		SM small	F with/con			ER earth red
						GE greige
						NE black
						PG pine green limited edition

example composition code AC DIST SM F OR XX BC

Paralela

Nahtrang Studio




**ROSONI COMPATIBILI CON LA SOSPENSIONE ORIZZONTALE /
ROSES COMPATIBLE WITH HORIZONTAL SUSPENSION**

PLACCA DI COPERTURA / COVER PLATED

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

PLACCA IN METALLO COLORE BIANCO/
WHITE METAL PLATE

kg 0,19 m³ 0,004




Code ACCANOPYIN003
Colours BC white

ROSONE INCASSO / RECESSED CANOPY

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

ROSONE IN METALLO AD INCASSO PER
CONTROSOFFITO, COLORE BIANCO/ RECESSED
METAL CANOPY FOR FALSE CEILING, WHITE COLOR

kg 0,20




Code ACCANOPYIN001
Colours BC white

ROSONE / CANOPY

(DRIVER NON INCLUSO /
DRIVER NOT INCLUDED)

ROSONE IN METALLO COLORE BIANCO/
WHITE METAL CANOPY

kg 0,07 m³ 0,004



Code ACCANOPYTO004
Colours BC white

example composition code ACCANOPYTO004 BC

ROSONE / CANOPY


(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

INSERIBILE: CEDMWC00206, CEDLTC00129, CEDLTC00132, CEDLTF00600 /
CAN BE INSERT: CEDMWC00206, CEDLTC00129, CEDLTC00132, CEDLTF00600)

ROSONE IN METALLO RETTANGOLARE IN VARI COLORI

SOLO 1 DRIVER INSERIBILE ALL'INTERNO
RECTANGULAR METAL CANOPY IN VARIOUS COLORS ONLY
1 DRIVER CAN BE INSERTED INSIDE

kg 1,5



Code ACCANOPYRE001

Colours BC white ER earth red GE greige NR black PG pine green limited edition


example composition code ACCANOPYTO001 BC

ROSONE / CANOPY

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

ROSONE IN METALLO CIRCOLARE IN VARI COLORI 1 O 2 DRIVER INSERIBILI
ALL' INTERNO / CIRCULAR METAL CANOPY IN VARIOUS COLORS 1 OR 2 DRIVERS
THAT CAN BE INSERTED INSIDE

kg 2,5



Code ACCANOPYTO001


Colours BC white ER earth red GE greige NR black PG pine green limited edition

example composition code ACCANOPYTO001 BC

TAPPO DI CHIUSURA / END CUP

TAPPO DI CHIUSURA STAMPATO IN NAILON (PA12) 3D + CAVO
D'ACCIAIO (3m) / 3D PRINTED NYLON (PA12) CLOSING CAP
+ STEEL CABLE (3m)

kg 0,02 m³ 0,001



Solo per sospensione singola con 1 tubo in vetro /
Only for single suspension with 1 glass tube

example composition code ACTESTAC001XX BC

Code ACTESTAC001XX
Colours BC white ER earth red GE greige NE black PG pine green limited edition

CAVI ELETTRICI / ELECTRIC CABLES

(FOR DC SECONDARY CIRCUIT)

CAVO ELETTRICO RIVESTITO IN TESSUTO A 2 E 4 POLI PER INGRESSO
DA CINTURA / 2 AND 4 POLE FABRIC COVERED ELECTRIC CABLE FOR
BELT ENTRY

kg 0,13 (2 poles) / 0,22 (4 poles)




Solo per ingresso dal cintura, lunghezza cavo 1m /
Only for belt input, cable length 1m

example composition code ACCAVOEL 4X001 BC

Code ACCAVOEL
Poles 2X001 4X001
Colours BC white NE black

Paralela

Nahtrang Studio



Parete e soffitto / Wall and ceiling

Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.


COLOURS




white



greige



earth red




pine green
limited edition




black

Elementi del sistema per la configurazione di moduli multipli (DRIVER NON INCLUSO) System elements for multiple modules configuration (DRIVER NOT INCLUDED)



Paralela

Nahtrang Studio



Parete e soffitto / Wall and ceiling

29,7cm - 93,6cm - 118,6cm

PARALELA WALL - GLASS TUBE (DRIVER NOT INCLUDED)

Type	Article	Code	Code	CCT	Code	Code	Size	Connection point	Colours	LED - Source
AC	TU	X	X	27 2700K	X	X	MI 29,7cm	1	BC white	~4W (~315lm)
				30 3000K			LA 93,6cm	2	ER earth red	~14,9W (~1103lm)
							BI 118,6cm		GE greige	~19W (~1418lm)
									NE black	
									PG pine green limited edition	




IP20 CRI>90 24Vdc **LED**

example composition code AC TU X X **30** X X BI 1 **NE**


CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 0,3 m³ 0,0018




TUBO IN VETRO BOROSILICATO (29.7cm) + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D
BOROSILICATE GLASS TUBE (29.7cm) + 1 3D PRINTED NAILON (PA12) CONNECTION POINT

kg 0,8 m³ 0,006




TUBO IN VETRO BOROSILICATO (93.7cm) + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D
BOROSILICATE GLASS TUBE (93.7cm) + 1 3D PRINTED NAILON (PA12) CONNECTION POINT

kg 1 m³ 0,007



TUBO IN VETRO BOROSILICATO (118.6cm) + 1 PUNTO DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D
BOROSILICATE GLASS TUBE (118.6cm) + 1 3D PRINTED NAILON (PA12) CONNECTION POINT

kg 1 m³ 0,007




TUBO IN VETRO BOROSILICATO (118.6cm) + 2 PUNTI DI CONNESSIONE IN NAILON (PA12) STAMPATO IN 3D
BOROSILICATE GLASS TUBE (118.6cm) + 2 3D PRINTED NAILON (PA12) CONNECTION POINTS

PARETE E SOFFITTO / WALL AND CEILING

CINTURE CON APERTURA A CALAMITA / BELTS WITH MAGNETIC COVER

CINTURA STAMPATO IN NAILON (PA12) 3D SOLO PER PARETE SOFFITTO / 3D PRINTED NYLON (PA12) BELT ONLY FOR WALL CEILING

Small: kg 0,045 m³ 0,002 Mini: kg 0,02 m³ 0,001



PARALELA WALL - BELT

Type	Article	Size	Code	Variant typology	Code	Colours
AC	DIST	SM small	X	AP	XX	BC white
		MI mini				ER earth red
						GE greige
						NE black
						PG pine green limited edition


example composition code AC DIST MI X AP XX NE

STAFFA / STIRRUP

GANCIO DI SOSTEGNO STAMPATO IN NAILON (PA12) 3D SOLO PER PARETE SOFFITTO / SUPPORT HOOK PRINTED IN NYLON (PA12) 3D ONLY FOR WALL CEILING

Solo per tubo in vetro LA 93,6cm e BI 118,6cm / Only for glass tube LA 93,6cm and BI 118,6cm

kg 0,02 m³ 0,001



Code	Colours
ACSTAFFA001XX	BC white ER earth red GE greige NR black PG pine green limited edition

example composition code ACSTAFFA001XX BC